

CLEENOL

For a cleaner, safer world

SAFETY DATA SHEET EASIDOSE PERFUMED FLOOR CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	EASIDOSE PERFUMED FLOOR CLEANER
Internal identification	ED5/1L
Container size	3x1L
UFI	UFI: 8FA1-T027-T004-JDY5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning agent.
-----------------	-----------------

1.3. Details of the supplier of the safety data sheet

Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
----------	---

1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct via 111 (UK only).
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Flam. Liq. 3 - H226
Health hazards	Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317
Environmental hazards	Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

EASIDOSE PERFUMED FLOOR CLEANER

Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p>
Contains	C9-11 ALCOHOL ETHOXYLATE 6-8 MOLES EO, LINALOOL, BENZYL SALICYLATE, TERPINEOL, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 4-tert-butylcyclohexyl acetate, HEXYL CINNAMALDEHYDE
Detergent labelling	Contains LINALOOL, BENZYL SALICYLATE, HEXYL CINNAMALDEHYDE, BRONOPOL (INN), COUMARIN, EUGENOL, d-LIMONENE
Supplementary precautionary statements	<p>P233 Keep container tightly closed.</p> <p>P240 Ground and bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical equipment.</p> <p>P242 Use non-sparking tools.</p> <p>P243 Take action to prevent static discharges.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P330 Rinse mouth.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C9-11 ALCOHOL ETHOXYLATE 6-8 MOLES EO		30-60%
CAS number: 68439-46-3	EC number: 931-514-1	
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318		
ETHANOL		10-30%
CAS number: 64-17-5	EC number: 200-578-6	
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319		

EASIDOSE PERFUMED FLOOR CLEANER

LINALOOL <1% CAS number: 78-70-6 EC number: 201-134-4
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1A - H317
BENZYL SALICYLATE <1% CAS number: 118-58-1 EC number: 204-262-9
Classification Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 3 - H412
TERPINEOL <1% CAS number: 8000-41-7 EC number: 232-268-1
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411
4-tert-butylcyclohexyl acetate <1% CAS number: 32210-23-4
Classification Skin Sens. 1B - H317
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one <1% CAS number: 54464-57-2 M factor (Chronic) = 1
Classification Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Aquatic Chronic 1 - H410
HEXAMETHYLINDENOPYRAN <1% CAS number: 1222-05-5 EC number: 214-946-9 M factor (Chronic) = 1
Classification Aquatic Chronic 1 - H410

EASIDOSE PERFUMED FLOOR CLEANER

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one CAS number: 1506-02-1 M factor (Chronic) = 1	<1%
Classification Acute Tox. 4 - H302 Aquatic Chronic 1 - H410	
ACETYL HEXAMETHYL TETRALIN CAS number: 21145-77-7 EC number: 244-240-6 M factor (Chronic) = 1	<1%
Classification Acute Tox. 4 - H302 Aquatic Chronic 1 - H410	
HEXYL CINNAMALDEHYDE CAS number: 101-86-0 EC number: 202-983-3 M factor (Acute) = 1	<1%
Classification Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	
BRONOPOL (INN) CAS number: 52-51-7 EC number: 200-143-0 M factor (Acute) = 10	<1%
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
-------------------	---

EASIDOSE PERFUMED FLOOR CLEANER

Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Give a few small glasses of water or milk to drink. Get medical attention if symptoms are severe or persist. Get medical attention if a large quantity has been ingested.
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Get medical attention if irritation persists after washing.
Eye contact	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Considered to be a low inhalation hazard at normal workplace temperatures.
Ingestion	Harmful if swallowed.
Skin contact	May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Flammable liquid and vapour.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO ₂). Carbon monoxide (CO).

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material. Take precautionary measures against static discharges.
-----------------------------	--

6.2. Environmental precautions

Environmental precautions	May cause long lasting harmful effects to aquatic life. Avoid release to the environment.
----------------------------------	---

EASIDOSE PERFUMED FLOOR CLEANER

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Eliminate all sources of ignition. Absorb in vermiculite, dry sand or earth and place into containers. Do not use sawdust or other combustible material. Dispose of contents/container in accordance with national regulations. Flush contaminated area with plenty of water.
-------------------------	---

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
-----------------------------	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	For professional users only. Avoid contact with skin, eyes and clothing. Avoid breathing spray. Keep away from heat, sparks and open flame.
-------------------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Do not store near heat sources or expose to high temperatures. Keep away from heat, sparks and open flame. Keep away from combustible material.
---------------------	---

Storage class	Flammable liquid storage.
---------------	---------------------------

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
---------------------	---

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Short-term exposure limit (15-minute): WEL

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn.
---------------------	--

Hand protection	It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Rubber (natural, latex). Nitrile rubber. Wear protective gauntlets made of the following material: Polyvinyl chloride (PVC).
-----------------	--

Hygiene measures	Good personal hygiene procedures should be implemented. Wash contaminated skin thoroughly after handling.
------------------	---

Respiratory protection	No specific requirements are anticipated under normal conditions of use. Respiratory protection may be required if excessive airborne contamination occurs.
------------------------	---

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
------------	---------------

EASIDOSE PERFUMED FLOOR CLEANER

Colour	Orange.
Odour	Pine.
pH	pH (concentrated solution): 5 - 8
Initial boiling point and range	100°C
Flash point	34°C Pensky-Martens closed cup.
Relative density	0.991 - 1.001 @ 20°C
Solubility(ies)	Soluble in water.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not determined.
Viscosity	Non-viscous.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	36.5 - 37.5
Volatile organic compound	This product contains a maximum VOC content of 10 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Heating may cause a fire. Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Avoid contact with strong oxidising agents.
---------------------	--

10.5. Incompatible materials

Materials to avoid	Keep away from oxidising materials, heat and flames.
--------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
----------------------------------	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Information given is based on data of the components and of similar products.
-----------------------	---

Acute toxicity - oral

ATE oral (mg/kg)	1,470.59
------------------	----------

Acute toxicity - inhalation

EASIDOSE PERFUMED FLOOR CLEANER

ATE inhalation (dusts/mists
mg/l) 588.0

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Extreme pH Moderate pH (> 2 and < 11.5).

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Inhalation Considered to be a low inhalation hazard at normal workplace temperatures.

Ingestion Harmful if swallowed.

Skin contact The product contains a sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact Causes serious eye damage.

Route of exposure Ingestion Skin and/or eye contact

Medical considerations Skin disorders and allergies.

SECTION 12: Ecological information

Ecotoxicity The product contains a substance which is harmful to aquatic organisms.

12.1. Toxicity

Toxicity Harmful to Aquatic Organisms

Ecological information on ingredients.

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

Chronic aquatic toxicity

NOEC 0.01 < NOEC ≤ 0.1

Degradability Non-rapidly degradable

M factor (Chronic) 1

HEXAMETHYLINDENOPYRAN

Chronic aquatic toxicity

NOEC 0.01 < NOEC ≤ 0.1

Degradability Non-rapidly degradable

M factor (Chronic) 1

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one

Chronic aquatic toxicity

NOEC 0.01 < NOEC ≤ 0.1

Degradability Non-rapidly degradable

EASIDOSE PERFUMED FLOOR CLEANER

M factor (Chronic) 1

ACETYL HEXAMETHYL TETRALIN

Chronic aquatic toxicity

NOEC $0.01 < \text{NOEC} \leq 0.1$

Degradability Non-rapidly degradable

M factor (Chronic) 1

HEXYL CINNAMALDEHYDE

Acute aquatic toxicity

LE(C)₅₀ $0.1 < \text{L(E)C}_{50} \leq 1$

M factor (Acute) 1

BRONOPOL (INN)

Acute aquatic toxicity

LE(C)₅₀ $0.01 < \text{L(E)C}_{50} \leq 0.1$

M factor (Acute) 10

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product contains substances which are water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Following dilution, discharge to the sewer with plenty of water may be permitted.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1993

UN No. (IMDG) 1993

EASIDOSE PERFUMED FLOOR CLEANER

UN No. (ICAO) 1993

UN No. (ADN) 1993

14.2. UN proper shipping name

Proper shipping name (ADR/RID) FLAMMABLE LIQUID, N.O.S. (CONTAINS ETHANOL)

Proper shipping name (IMDG) FLAMMABLE LIQUID, N.O.S. (CONTAINS ETHANOL)

Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S. (CONTAINS ETHANOL)

Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S. (CONTAINS ETHANOL)

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS F-E, S-E

ADR transport category 3

Emergency Action Code •3Y

Hazard Identification Number (ADR/RID) 30

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78
and the IBC Code Not applicable.

EASIDOSE PERFUMED FLOOR CLEANER

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance EH40/2005 Workplace exposure limits
Containing the list of workplace exposure limits for use with the Control of Substances
Hazardous to Health Regulations 2002 (as amended)
Health and Safety Executive

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	10/05/2021
Revision	5
Supersedes date	24/02/2021
SDS number	21687
Hazard statements in full	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.