# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name : Actichlor Plus

Product code : 116534E

Use of the : Surface Disinfectant

Substance/Mixture

Substance type: : Mixture

For professional users only.

Product dilution information : 1.0 %

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Surface disinfectant. Manual process

Recommended restrictions

on use

: Reserved for industrial and professional use.

#### 1.3 Details of the supplier of the safety data sheet

Company : Ecolab Ltd.

PO Box 11; Winnington Avenue

Northwich, Cheshire, United Kingdom CW8 4DX

+ 44 (0)1606 74488 ccs@ecolab.com

#### 1.4 Emergency telephone number

Emergency telephone : +441618841235

number +32-(0)3-575-5555 Trans-European

Poison Information Centre

telephone number

: Not Available

Date of Compilation/Revision : 19.09.2017 Version : 3.0

#### **Section: 2. HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

# **Product AS SOLD**

Eye irritation, Category 2 H319 Specific target organ toxicity - single exposure, Category 3, H335

Respiratory system

Acute aquatic toxicity, Category 1 H400 Chronic aquatic toxicity, Category 1 H410

116534E 1 / 16

#### **Product AT USE DILUTION**

Chronic aquatic toxicity, Category 3

H412

# 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

**Product AS SOLD** 

Hazard pictograms





Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting

effects.

Supplemental Hazard

Statements

: EUH031

Contact with acids liberates toxic gas.

Precautionary Statements : Prevention:

P273 Avoid release to the environment. P280e Wear eye protection/face protection.

Hazardous components which must be listed on the label: troclosene sodium

**Product AT USE DILUTION** 

Hazard Statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention**:

P273 Avoid release to the environment.

# 2.3 Other hazards

#### **Product AS SOLD**

Mixing this product with acid or ammonia releases chlorine gas. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

# Product AS SOLD Hazardous components

| Chemical Name     | CAS-No.<br>EC-No.<br>REACH No.                      | ClassificationREGULATION (EC) No<br>1272/2008   | Concentration: [%] |
|-------------------|---|---|--------------------|
| troclosene sodium | 2893-78-9<br>220-767-7<br>01-2119489371-33-<br>0008 | Note G Oxidizing solids Category 2;<br>H272<br>Acute toxicity Category 4; H302<br>Eye irritation Category 2; H319<br>Specific target organ toxicity - single<br>exposure Category 3; H335 | >= 50 - <= 100     |

116534E 2 / 16

|                                    |   | Acute aquatic toxicity Category 1; H400<br>Chronic aquatic toxicity Category 1;<br>H410                    |              |
|------------------------------------|---|--|--------------|
| adipic acid                        | 124-04-9<br>204-673-3                     | Eye irritation Category 2; H319  | >= 20 - < 25 |
| Sodium Carbonate                   | 497-19-8<br>207-838-8<br>01-2119485498-19 | Eye irritation Category 2; H319  | >= 3 - < 5   |
| sodium dodecylbenzene<br>sulfonate | 25155-30-0<br>246-680-4                   | Acute toxicity Category 4; H302<br>Skin irritation Category 2; H315<br>Serious eye damage Category 1; H318 | >= 1 - < 2.5 |

# Product AT USE DILUTION Hazardous components

| Chemical Name     | CAS-No.           | ClassificationREGULATION (EC) No         | Concentration: |
|-------------------|-------------------|--|----------------|
|                   | EC-No.            | 1272/2008                                | [%]            |
|                   | REACH No.         |  |                |
| troclosene sodium | 2893-78-9         | Oxidizing solidsCategory 2; H272         | >= 0.5 - < 1   |
|                   | 220-767-7         | Acute toxicityCategory 4; H302           |                |
|                   | 01-2119489371-33- | Eye irritationCategory 2; H319           |                |
|                   | 8000              | Specific target organ toxicity - single  |                |
|                   |                   | exposureCategory 3; H335                 |                |
|                   |                   | Acute aquatic toxicityCategory 1; H400   |                |
|                   |                   | Chronic aquatic toxicityCategory 1; H410 |                |
|                   |                   |  |                |

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **Section: 4. FIRST AID MEASURES**

#### 4.1 Description of first aid measures

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get medical attention.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

**Product AT USE DILUTION** 

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of immediate medical attention and special treatment needed

116534E 3 / 16

Treatment : Treat symptomatically.

# **Section: 5. FIREFIGHTING MEASURES**

#### **Product AS SOLD**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

Sulphur oxides

Oxides of phosphorus

#### 5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

Further information : Collect contaminated fire extinguishing water separately. This

> must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or

explosion do not breathe fumes.

# Section: 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### **Product AS SOLD**

Advice for non-emergency

personnel

: Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Advice for emergency

responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

# **Product AT USE DILUTION**

Advice for non-emergency

personnel

: Ensure clean-up is conducted by trained personnel only. Refer to

Advice for emergency

responders

protective measures listed in sections 7 and 8.

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

# 6.2 Environmental precautions

116534E 4/16

**Product AS SOLD** 

Environmental precautions : Do not allow contact with soil, surface or ground water.

**Product AT USE DILUTION** 

Environmental precautions : Do not allow contact with soil, surface or ground water.

# 6.3 Methods and materials for containment and cleaning up

**Product AS SOLD** 

Methods for cleaning up : Sweep up and shovel into suitable containers for disposal.

**Product AT USE DILUTION** 

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material

to ensure runoff does not reach a waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

#### Section: 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**Product AS SOLD** 

Advice on safe handling : Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling.

**Product AT USE DILUTION** 

Advice on safe handling : Use only with adequate ventilation. Wash hands thoroughly after

handling.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Product AS SOLD** 

Requirements for storage areas and containers

: Keep out of reach of children. Keep container tightly closed. Store

in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

116534E 5 / 16

#### **Product AT USE DILUTION**

Requirements for storage areas and containers

: Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

#### 7.3 Specific end uses

**Product AS SOLD** 

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### **Product AS SOLD**

Contains no substances with occupational exposure limit values.

#### **DNEL**

| Sodium Carbonate |  | End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 10 mg/m3 |
|------------------|--|--|
|                  |  | End Use: Consumers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 10 mg/m3   |

#### 8.2 Exposure controls

#### **Product AS SOLD**

#### Appropriate engineering controls

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

#### Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling.

Eye/face protection (EN 166) : Safety glasses with side-shields

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection

(EN 14605)

: No special protective equipment required.

Respiratory protection (EN

143, 14387)

: When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, 89/686/EEC), or equivalent, with filter type:P

# Product AT USE DILUTION Appropriate engineering controls

Engineering measures : Good general ventilation should be sufficient to control worker

116534E 6 / 16

exposure to airborne contaminants.

#### Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling.

Eye/face protection (EN

166)

: No special protective equipment required.

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection

(EN 14605)

: No special protective equipment required.

Respiratory protection (EN

143, 14387)

None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

requirements(89/656/EEC, 89/686/EEC), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization.

#### **Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

**Product AS SOLD Product AT USE DILUTION** 

5.5 - 6.5

liquid : tablet **Appearance** 

: 5.0 - 6.0

Colour : white natural colour Odour : Chlorine slight chlorine

Flash point : Not applicable.

Odour Threshold : Not applicable and/or not determined for the mixture Melting point/freezing point : Not applicable and/or not determined for the mixture

boiling range

рΗ

Initial boiling point and : Not applicable and/or not determined for the mixture

Evaporation rate : Not applicable and/or not determined for the mixture Flammability (solid, gas) : Not applicable and/or not determined for the mixture Upper explosion limit : Not applicable and/or not determined for the mixture Lower explosion limit : Not applicable and/or not determined for the mixture : Not applicable and/or not determined for the mixture Vapour pressure Relative vapour density : Not applicable and/or not determined for the mixture

116534E 7/16

Relative density : Not applicable and/or not determined for the mixture Water solubility : Not applicable and/or not determined for the mixture

Solubility in other solvents : soluble

Partition coefficient: n-

octanol/water

: Not applicable and/or not determined for the mixture

Auto-ignition temperature : Not applicable and/or not determined for the mixture

Thermal decomposition : Not applicable and/or not determined for the mixture Viscosity, kinematic : Not applicable and/or not determined for the mixture Explosive properties : Not applicable and/or not determined for the mixture

Oxidizing properties : Not applicable and/or not determined for the mixture

9.2 Other information

VOC : Not applicable.

#### Section: 10. STABILITY AND REACTIVITY

# Product AS SOLD

# 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Mixing this product with acid or ammonia releases chlorine gas. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

#### 10.4 Conditions to avoid

None known.

# 10.5 Incompatible materials

Acids

#### 10.6 Hazardous decomposition products

Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

# **Section: 11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

116534E 8 / 16

**Product AS SOLD** 

Information on likely routes of : Eye contact, Skin contact

exposure

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : troclosene sodium

LD50 rat: 1,500 mg/kg

adipic acid

LD50 rat: 5,560 mg/kg

Sodium Carbonate LD50 rat: 2,800 mg/kg

sodium dodecylbenzene sulfonate

LD50 rat: 1,086 mg/kg

Components

Acute inhalation toxicity : adipic acid

4 h LC50 rat: 7.7 mg/l

Components

Acute dermal toxicity : troclosene sodium

LD50 rabbit: > 10,000 mg/kg

adipic acid

116534E 9/16

LD50 rabbit: 7,940 mg/kg

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

# Section: 12. ECOLOGICAL INFORMATION

# Product AS SOLD

#### 12.1 Ecotoxicity

Environmental Effects : Very toxic to aquatic life with long lasting effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

116534E 10 / 16

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : Sodium Carbonate

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l

sodium dodecylbenzene sulfonate

96 h LC50: 3.2 mg/l

Components

Toxicity to daphnia and other : Sodium Carbonate

aquatic invertebrates

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Components

Toxicity to algae : adipic acid

96 h EC50: 26.6 mg/l

# 12.2 Persistence and degradability

**Product** 

Biodegradability : The surfactants contained in the product are biodegradable

according to the requirements of the detergent regulation

648/2004/EC

Components

Biodegradability : troclosene sodium

Result: Poorly biodegradableResult: Poorly biodegradable

adipic acid

Result: Readily biodegradable.

Sodium Carbonate

Result: Not applicable - inorganic

sodium dodecylbenzene sulfonate Result: Readily biodegradable.

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product**

: This substance/mixture contains no components considered to be Assessment

> either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

116534E 11/16

#### 12.6 Other adverse effects

no data available

# **Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

#### **Product AS SOLD**

Product : The product should not be allowed to enter drains, water courses

> or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken

to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

Guidance for Waste Code

selection

: Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC)

and local regulations.

# **Product AT USE DILUTION**

Product

: The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

: Dispose of as unused product. Empty containers should be taken Contaminated packaging

to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

# **Section: 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

# Land transport (ADR/ADN/RID)

14.1 UN number : 3077

14.2 UN proper shipping : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

name N.O.S.

(troclosene sodium)

14.3 Transport hazard

116534E 12/16

class(es)

14.4 Packing group : III14.5 Environmental hazards : Yes

14.6 Special precautions for

: None

user

Air transport (IATA)

14.1 UN number : 3077

14.2 UN proper shipping

name

 $: \ \, \text{Environmentally hazardous substance, solid, n.o.s.} \\$ 

14.3 Transport hazard : 9

class(es)

14.4 Packing group : III 14.5 Environmental hazards : Yes

14.6 Special precautions for

user

: None

Sea transport (IMDG/IMO)

14.1 UN number : 3077

14.2 UN proper shipping : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

(troclosene sodium)

name N.O.S.

(troclosene sodium)

14.3 Transport hazard : 9

class(es)

14.4 Packing group : III 14.5 Environmental hazards : Yes

14.6 Special precautions for

user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

: Not applicable.

: None

# **Section: 15. REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents : 30 % and more: Chlorine-based bleaching agents

Regulation EC 648/2004 less than 5 %: Anionic surfactants

Contains: Disinfectants

#### **National Regulations**

#### Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply)

Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

#### **15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

#### **Section: 16. OTHER INFORMATION**

116534E 13 / 16

#### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

| Classification   | Justification      |
|--|--------------------|
| Eye irritation 2, H319                                   | Calculation method |
| Specific target organ toxicity - single exposure 3, H335 | Calculation method |
| Acute aquatic toxicity 1, H400                           | Calculation method |
| Chronic aquatic toxicity 1, H410                         | Calculation method |

#### **Full text of H-Statements**

| H272 | May intensify fire; oxidiser.                         |
|------|---|
| H302 | Harmful if swallowed.                                 |
| H315 | Causes skin irritation.                               |
| H318 | Causes serious eye damage.                            |
| H319 | Causes serious eye irritation.                        |
| H335 | May cause respiratory irritation.                     |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |

#### Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL -Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very Persistent and Very Bioaccumulative

#### **Further information**

116534E 14 / 16

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **ANNEX: EXPOSURE SCENARIOS**

#### **DPD+ Substances:**

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

| Route               | Substance                       |            | EINECS-No. |  |
|---------------------|---------------------------------|------------|------------|--|
| Ingestion           | troclosene sodium               | 2893-78-9  | 220-767-7  |  |
| Inhalation          | troclosene sodium               | 2893-78-9  | 220-767-7  |  |
| Dermal              | sodium dodecylbenzene sulfonate | 25155-30-0 | 246-680-4  |  |
| Eyes                | troclosene sodium               | 2893-78-9  | 220-767-7  |  |
| aquatic environment | troclosene sodium               | 2893-78-9  | 220-767-7  |  |

# Physical properties DPD+ Substances:

| Substance                       | Vapour pressure | Water solubility | Pow     | Molar Mass   |
|---------------------------------|-----------------|------------------|---------|--------------|
| sodium dodecylbenzene sulfonate | < 0.0000001 hPa | 0.1 g/l          | 2,089.3 | 348.48 g/mol |

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

#### www.ecetoc.org/tra

Short title of Exposure

: Surface disinfectant. Manual process

Scenario

#### **Use descriptors**

Main User Groups : Professional uses: Public domain (administration, education,

entertainment, services, craftsmen)

Sectors of end-use : **SU22:** Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

116534E 15 / 16

Process categories : **PROC10:** Roller application or brushing

**PROC8a:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at non-dedicated

facilities

Product categories : **PC35:** Washing and cleaning products (including solvent based

products)

**Environmental Release** 

Categories

: **ERC8a:** Wide dispersive indoor use of processing aids in open

systems

116534E 16 / 16