

PRODUCT USE GUIDE FOR NOVA LONG-LIFE SATIN BN0010

Product Description

Same high quality performance as Nova Long-life Gloss, but with a satin finish.

Product Features

- For use on rubber, linoleum, vinyl, vinyl asbestos, thermoplastic, asphalt, sealed wood and sealed cork floors, etc.
- For a long lasting satin shine, Nova Long-life Satin is rich in high quality solid ingredients. Even old, porous floors can now be restored to a forgotten brilliance. It produces a supreme, long-lasting satin finish - quickly and easily.
Nova Long-life Satin is designed for use wherever perfect appearance and ease of maintenance are required. For best results, Novacare Floor Maintainer is recommended for spray cleaning or mopping and buffing.
- Finish - Dries to a satin finish without machine buffing. Greater flexibility resists powdering and permits the use of spray cleaning, mopping and buffing systems.
- Longer Lasting - Skillful formulation backed by many decades of experience has combined top quality ingredients for toughness and maximum durability.
- Easier to Use - Combines base/primer coat and top dressing in one product. Just two coats are adequate for most floors. Dirt and heel-marks can be removed easily using the maintainer.
- Greater Protection - The tough, hard-wearing film shields your floors against dirt, heel-marks, water and wear.
- More Economical - The high solids-content means less applications. Marks and dirt can be removed more easily. With or without a floor machine, maintenance is simplified. Another important feature is 'built-in' removability - for economical stripping at a later date. All these points add together to show a real reduction in total maintenance costs.

Direction for Use

- Clean floor thoroughly with Nova Liquid 99. (Strip old polishes with Nova Starbrite Emulsion Dressing Remover). Neutralise the floor with vinegar solution (See Nova Starbrite instructions) Apply two thin coats of the product with a clean mop or applicator (**DO NOT USE SHEEPSKIN**). A third coat may be required on old or porous floors. Allow at least 30 minutes between coats and overnight for final coat.
- Either a) "Spray clean" dirty areas. Use Novacare Floor Maintainer or if antibacterial action is required use Nova Lime-Lite Antibacterial Maintainer. Machine area clean and dry, all in one operation. Or b) Damp wipe dirty areas. Novacare Floor Maintainer is particularly recommended. Burnish when dry if desired. ("Mopping and Buffing" method).
- Will cover 50 square metres per litre per coat.
- DO NOT APPLY MORE THAN 6 COATS IN TOTAL BEFORE STRIPPING USING NOVA STARBRITE.

Note only the British Nova products detailed above are safe to use with Long-Life Satin. Other products are used at the users risk.



Cleenol Group Ltd

Beaumont Road, Banbury, Oxon, OX16 1RB. UK.
Tel: +44 (0) 1295 251721 Fax: +44 (0) 1295 269561
Email: sales@cleenol.co.uk
www.cleenol.co.uk



PRODUCT USE GUIDE FOR NOVA LONG-LIFE SATIN BN0010

Storage

- Store in cool conditions away from direct sources of heat
- Avoid extremes of temperature
- Do not allow to freeze
- Ensure the cap is tightly fitted after use
- Keep out of reach of children

Shelf Life

- Shelf life 24 months, if stored as recommended.
- Use within 6 months of opening.

Environmental

- Do not allow large quantities of neat product to enter surface waterways.
- This product uses recyclable packaging. The detergents used in the formulation are biodegradable to EU guidelines under the detergents regulations (EC) No 648/2004.
- It contains no Phosphates.
- None of the components of this product are animal derived.

For further information please scan your QR Smart Reader here



Code Nos.

BN0010/SATIN 2x5L
BN0011/SATIN/6 6x1L

Data Sheet No. BN0010

Note: This product is only to be used for the purpose for which it was intended and in accordance with the specified instructions. This product should never be mixed with other chemical products and should be handled with care and stored carefully out of reach of children.



Cleenol Group Ltd

Beaumont Road, Banbury, Oxon, OX16 1RB. UK.
Tel: +44 (0) 1295 251721 Fax: +44 (0) 1295 269561
Email: sales@cleenol.co.uk
www.cleenol.co.uk



Certificate No. 316



Certificate No. E3539

