

MATERIAL SAFETY DATA SHEET

IDENTIFICATION

ZINC OXIDE TAPE

PRODUCT CODE: VARIOUS

PRODUCT Name: ZINC OXIDE TAPE (VARIOUS SIZES)

USE: Disposable single use fabric Zinc Oxide Dressing. To secure dislocated joints, reduces flexion of joints and gives support. For external use only.

Physical Description/Properties

Zinc Oxide adhesive to a Fabric substrate. Appearance and Odour:

5m, 10m, 20m, 50m in lengths.

Not determined Melting Point/Boiling Point:

Vapour Pressure: N/A Specific Gravity: N/A Flashpoint: N/A Solubility in Water (g/L): N/A

Components



Zinc Oxide Adhesive:

Fabric Substrate

Contains Latex

Health Hazard Information

Health Effects

Acute

Not a likely route of exposure. If swallowing did occur, it Swallowed:

may Cause gastrointestinal irritation, nausea and

dizziness.

Eye: Not a likely exposure.

> Issue 2.0 Page: 1 of 3

Skin: Prolonged skin contact or repeated exposure not likely to

cause significant skin irritation unless there is a known allergy to Latex. Symptoms may include redness and itchiness significant skin irritation unless there is a known allergy to Latex. Symptoms may include redness and

itchiness.

Inhaled: Not a likely exposure.

Chronic: Not likely.

First Aid

Swallowed: In the unlikely event that a plaster was swallowed. DO

NOT induce vomiting. Give water. Get medical attention.

Eye: Not likely.

Skin: Wash thoroughly with soap and water.

First-Aid facilities: Eye wash plus normal washroom facilities nearby.

Advice to Doctor: Treat symptomatically.

Precaution For Use

Flammability: The plaster is non-flammable. Packaging is a combustible

solid.

Safe Handling Information

Storage and Transport: Store in a cool (25 C) dry place.

Spills and Disposal: Dispose of in accordance with local waste regulations.

May be incinerated in an approved facility.

Used: plasters may be required to be disposed of in accordance with the local authority's infectious waste

requirements.

Fire or Explosion hazard: No fire or explosion hazard.

Packaging material: combustible solid.

Extinguishing Media: According to the surrounding area

Any standard fire extinguisher may be used.

Other Information

Stability and Reactivity: Stable at room temperature.

Conditions to Avoid: Heat.

Incompatible Materials: Avoid contact with strong

oxidising agents.

Hazardous Decomposition Products: Carbon monoxide.

Environmental Issues: Environmental Issues.

Classification: Class I - Non Sterile – Medical Device

Issue 2.0 Page: 2 of 3

Date of Issue: February 2018

Date Reviewed: November 2018

Prepared by: Quality Manager

This Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this data sheet and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Steroplast Healthcare Ltd Alpha Point, Bradnor Road Manchester, M22 4TE Tel: 0161 902 3030

Fax: 0161 902 3040 Email: sales@steroplast.co.uk



Issue 2.0 Page: 3 of 3